


# RA-5

## ROLLING ART - 55" SCREENS



# RA-5

## ROLLING ART - 55" SCREENS




SPECIFICATION	MEASUREMENTS
Product Height	986mm (38 13/16")
Product Width	1501mm (59 1/8")
Product Depth	155mm (6 1/8")
Product Weight	85kg (187lbs)
Maximum Screen Height	720mm (28 3/8")
Maximum Screen Width	1240mm (48 13/16")
Maximum Screen Depth	50mm (2")
Maximum Screen Weight	60kg (132lbs)
Packaging Height	400mm (15 3/4")
Packaging Width	1600mm (63")
Packaging Depth	1100mm (43 5/16")
Shipping Weight	120kg (264lbs)
Power Supply Required	110V - 240V AC
Power Consumption Max.	120W
Power Consumption Standby	3W
Mounting Patterns Supported	VESA 400, 300, 200, 100 W x 400, 300, 200, 100 H
Control Options	IR Remote, RS232, Contact Closure
Product Options / Features	Custom RAL paint finishes, Custom sizing, sound bar mounting, VESA adaptor
Package Contents	Mechanism, Control box, IR remote control, PS40 bracket, bolt pack
Marine Suitable	No

# RA-5 ROLLING ART - 55" SCREENS

## PRODUCT OVERVIEW

Motorised mechanism installed on wall/in wall to raise and lower printed art work to reveal and conceal screen.

Product is also supplied with PS40 manual service bracket for screen mounting.




# RA-5 ROLLING ART - 55" SCREENS


## PRODUCT OVERVIEW CONTINUED

Product can be installed on wall or in wall as per examples below

### On wall






### In wall



# RA-5 ROLLING ART - 55" SCREENS

## DIMENSIONS - ON WALL




# RA-5 ROLLING ART - 55" SCREENS







future automation

## DIMENSIONS - ON WALL




# RA-5 ROLLING ART - 55" SCREENS


## CONTROL BOX



POWER / SIGNAL OUTLETS  
IDEALLY LOCATED IN THIS AREA



CONTROL BOX MUST BE LOCATED IN EASILY ACCESSIBLE LOCATION FOR SERVICING AND MAINTENANCE



### NOTES

- POWER SUPPLY UNIT (PSU) WILL ALLOW 110V OR 240V AC INPUT. THE SAME PSU IS USED FOR EU OR US MAINS SUPPLIES.
- OTHER THAN CONTROL CABLES, ALL CABLES TERMINATE AT CONTROL BOARD VIA STANDARD PHOENIX CONNECTORS.
- CABLE LOOM LENGTH SUPPLIED AT APPROX. 3m [118"]. LOOM CAN BE EXTENDED UP TO MAXIMUM OF APPROX. 10m [400"].
- MINIMUM CABLE BEND RADIUS 25mm [1"].